# Material Safety Data Sheet according to 91/155/EEC

H<sub>2</sub>O<sub>2</sub>-Reagent-03-AUS Revision: 05-09-2005

## 1. Product and Company Identification

Product Identification: H<sub>2</sub>O<sub>2</sub>- Reagent - Part No.: 1023636

Company Identification: ProMinent Dosiertechnik GmbH 69123 Heidelberg, Im Schuhmachergewann 5-11

REG- No.: HRB 1350 / Heidelberg

-Germany-

Tel: +49 (0)6221 842-0

Local Supplier: ProMinent Fluid Controls Pty Ltd

4/4 Narabang Way, Belrose NSW 2085

Tel: +61 (0) 2 9450 0995

#### 1. Composition / Information on Ingredients

Contains: - Titanylsulfate (TiOSO4) CAS No 13825-74-6 <10 %

- Sulfuric Acid (H2SO4 ) CAS No 7664-93-9 < 25 %

in aqueous solution.

Hazardous ingredients for health: contains > 15 % Sulfuric Acid

Symbol: C (corrosive) R-phrase: 35

#### 2. Hazards Identification of the Product

R 35: Causes severe burns

#### 3. First aid measures

#### Poisons Information Centre:

Australia 131 126: New Zealand 0800 764 766 or a doctor.

after skin contact: Rinse with running water and soap. Skin care.

Remove contaminated clothes.

after eye contact: Immediately flush eyes with copious amounts of running water

(at least for 10 minutes) see an oculist.

After ingestion: Drink plenty of water. Avoid vomiting. Immediately see a physician.

#### 4. Fire-fighting measures

Suitable extinguishing media: are to be fit in with the environment Extinguishing media which must not be used for safety reasons: not applicable Special exposure hazards: not flammable.

# Material Safety Data Sheet

Revision: 05-09-2005

according to 91/155/EEC

# H<sub>2</sub>O<sub>2</sub>-Reagent-03-AUS

#### 5. Accidental release measures

Personal Precautions: Avoid contact with skin and eyes.

Environmental precautions: Do not allow to flow into drainage system.

Methods of cleaning up / of removing: dilute with plenty of water, then neutralize with alcaline solutions, lime (CaCO3), soda (Na2CO3) or sodium bicarbonate (NaHCO3).

#### 6. Handling and storage

Handling: The product is to be handled with the usual care and caution for chemicals.

Storage: Keep original container tightly sealed.

## 8. Exposure / personal protection

Components with specific control parameters:

Sulfuric Acid: 1 mg/m³ peak limit: -1- (TRGS 900)

Eye protection: necessary Hand protection: necessary

#### 9. Physical and chemical properties:

physical state: liquid colour: colourless odour: odourless

pH-value: approx. 0 (undiluted at 20 °C)

cold sensitivity: under -5 °C flash point: not applicable

vapour pressure: (aqueous solution) relative density: approx. 1.2 kg/l (20 °C) solubility: miscible in water (20 °C)

## 10. Stability and Reactivity

Conditions to avoid: no decomposition if used according to specifications

Materials to avoid: reaction with lyes: heat generated

reaction with metals: hydrogen released

Hazardous decomposition products: none known

#### 11. Toxicological Information

Quantitative data regarding the toxicology of the product are not known.

Titanylsulfate LD50: not available

Sulfuric Acid LD50: 2140 mg/kg (oral, rat)

After skin contact: severe burns with formation of scabs.

After eve contact: burns, corneal lesions

After swallowing: severe pain (risk of perforation), nausea, vomiting

# Material Safety Data Sheet according to 91/155/EEC

H<sub>2</sub>O<sub>2</sub>-Reagent–03-AUS Revision: 05-09-2005

## 12. Ecological Information

Degradability: not pertinent, inorganic product

Aquatic toxicity: Harmful due to pH shift.

In case of discharging the acidic product into the sewerage system, the treated waste water should have a pH-value according to local discharge regulations.

#### 13. Disposal Considerations

In consultation with the responsible local authority, must be subjected to special treatment: neutralisation. In case of chemical collecting actions of the authorities, small containers can be handed over together with this safety data sheet.

# 14. Transport Information

The product is a hazardous material according to the transport norms:

GGVS/ADR/GGVE/RID: class 8/1b

IMDG-Code: 8/II UN 2796

ICAO/IATA: 8 UN 2796 PAX 809 CAO 813

## 15. Regulations

Classification and labelling according to the norm for hazardous materials

→ annex II No 1, dated on Nov. 1st 1993:

Symbols of danger: C Corrosive

R-phrases: R 35: Causes severe burns

<u>S-phrases:</u> S 26-30-36/37/39-45

In case of contact with eyes, rinse immediately with plenty of water and seek medical advise. Never add water to this product. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible.

National Prescriptions: water pollution class (WGK): 1

#### 16. Other Information

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Since ProMinent cannot anticipate or control the conditions under which this product may be used, each user must, before using this product, assess and control the risks arising from their use of this product.

ProMinent Fluid Controls Pty Ltd's responsibility for the product as sold is subject to the terms and conditions of the standards conditions of sale, a copy of which is available upon request.